



13



15



finesse[®]
ARCHITECTURAL STEEL CLADDING

WELCOME

Fielders present six striking architectural cladding profiles that have been crafted to bring a premium appearance to your next project.

Whether it's a bold statement for an otherwise conventional roofing application, or a signature walling feature, the Finesse® range of architectural cladding will inject a striking design element.

The Finesse® range of architectural steel cladding profiles have been rigorously tested in Fielders unique, full scale, NATA accredited laboratory to ensure compliance with both the National Construction Code (NCC) of Australia and Australian Standards for both residential and non-residential buildings.

Therefore ensuring you can be confident of not only the outstanding visual appeal of the Finesse® range, but its performance as well.



BOULEVARD™



sleek and smooth, Fielders Boulevard™ is a multi-faceted, contemporary design solution; working both as a subtle backdrop or an outstanding feature. It combines the best in European technology with Fielders local know-how, creating a versatile, express joint wall cladding that will enhance the aesthetic appeal of your next project.

- Express joints and hidden fixing
- Cladding use: walling only
- Standard pan width: 232mm*
- Installation orientation: horizontal or vertical
- Tested for: non-Cyclonic and Cyclonic classified regions





HAMILTON ST WARRADALE, SA

This recently completed building project showcases the latest in architectural trends.

The design brief for the façade was to integrate three different materials to create a modern and unique home.

Finesse® Boulevard™ in COLORBOND® steel Matt Night Sky® was chosen to deliver a strong contrast to the smooth white render and the textural exposed brick. The matt finish on the Boulevard™ cladding ensured it settled into its environment and visually complemented the modern roof line, also supplied by Fielders.

The result, a stunning modern look with a contemporary finish.



BUILDER


Goode Quality Constructions

PRODUCT

Fielders Finesse® Boulevard™ in COLORBOND® steel Matt Night Sky®



PROMINENCE™



Bold and elegant, Fielders Prominence™ certainly makes a statement, both as a façade and as roof installation. Its eye-catching flat pans are easy to install, allowing for a myriad of contemporary applications that will exceed the expectations of clients and architects alike.

- Broad, flat pans and a substantial rib
- Cladding use: roofing and walling
- Standard pan width: 210mm*
- Installation orientation: vertical only (roofing); horizontal or vertical (walling)
- Minimum roof pitch: 3°
- Tested for: non-Cyclonic and Cyclonic classified regions





FOUNDRY STREET, SA

In 2016, Fielders were contracted to enhance the exterior of an inner-city residential project in Adelaide, South Australia – achieving an ultra-contemporary outcome.

To fulfil the architectural brief, our team supplied 450m² of Finesse Prominence™. This profile was installed to cover the structure's exterior to create a dynamic and contemporary finish for the environmentally-sustainable home.



ARCHITECT
GRIEVE GILLETT ANDERSEN ARCHITECTS

BUILDER
CRAIG SPEZIALI

PRODUCT
FIELDERS FINESSE® PROMINENCE™




FIELDERS FINESSE® RANGE



BOULEVARD™

- Express joints and hidden fixing
- Cladding use: walling only
- Standard pan width: 232mm*
- Installation orientation: horizontal or vertical
- Tested for: non-Cyclonic and Cyclonic classified regions



PROMINENCE™

- Broad, flat pans and a substantial rib
- Cladding use: roofing and walling
- Standard pan width: 210mm*
- Installation orientation:
 - vertical only (roofing);
 - horizontal or vertical (walling)
- Minimum roof pitch: 3°
- Tested for: non-Cyclonic and Cyclonic classified regions



CADENCE™

- All the features of Prominence™ but clip fixed for optimised thermal performance and longer lengths
- Cladding use: roofing and walling
- Standard pan widths: 265mm or 465mm*
- Installation orientation:
 - vertical only (roofing);
 - horizontal or vertical (walling)
- Minimum roof pitch: 3°
- Tested for: non-Cyclonic and Cyclonic classified regions



GRANDEUR®

- Impressive curving capabilities
- Cladding use: roofing and walling
- Standard pan widths: 325mm or 525mm*
- Installation orientation:
 - vertical only (roofing);
 - horizontal or vertical (walling)
- Minimum roof pitch: 3°
- Tested for: non-Cyclonic regions only



SHADOWLINE® 305

- Narrow pans with a deep rib
- Cladding use: roofing and walling
- Standard cover width: 305mm
- Installation orientation:
 - vertical only (roofing);
 - horizontal or vertical (walling)
- Minimum roof pitch: 1°
- Tested for: non-Cyclonic and Cyclonic classified regions



NEO ROMAN™

- Flat pans contrasted with hemispherical ribs with options for single or double rib profiles
- Cladding use: roofing and walling
- Standard pan widths: 275mm or 475mm
- Installation orientation:
 - vertical only (roofing);
 - horizontal or vertical (walling)
- Minimum roof pitch: 5°
- Tested for: non-Cyclonic regions only

For more information, technical details or user installation guidelines refer to specifying.fielders.com.au

**other pan widths are available on request*

COLOUR RANGE

COLORBOND® STEEL STANDARD COLOUR RANGE*



COLORBOND® STEEL MATT COLOUR RANGE*



COLORBOND® ULTRA STEEL COLOUR RANGE*



COLORBOND® METALLIC STEEL COLOUR RANGE*



All profiles within the Fielders Finesse® range are manufactured from 100% Australian-made COLORBOND® steel. Not all profiles are available in all colours. Some profiles are also available in ZINCALUME® steel, galvanised or Heritage Galvanised finish. Contact Fielders for more information.

*Not all products are available in all finishes/colours, subject to availability, check with your local Fielders representative. The COLORBOND® steel colour swatches shown have been reproduced to represent actual product colours and finish as accurately as possible. However, we recommend checking your chosen colour against an actual sample of the product before purchasing, as varying light conditions and limitations of the printing process may affect colour tones and finish. To determine the most suitable material for your project, please contact your supplier or steel.com.au/colorbond.



fielders.com.au | info@fielders.com.au | 1800 182 255

PRODUCT DESCRIPTIONS

All descriptions, specifications, illustrations, drawings, data, dimensions and weights contained in this publication, all technical literature and websites containing information from Fielders are approximations only. They are intended by Fielders to be a general description for information and identification purposes and do not create a sale by description. Fielders reserves the right at any time to:

- a) supply Goods with such minor modifications from its drawings and specifications as it sees fit; and
- b) alter specifications shown in its literature to reflect changes made after the date of such publication.

COLORBOND® steel, ZINCALUME® steel, BlueScope, the BlueScope brand mark, ® product, product brand and colour names are registered trademarks and ™ product, product brand and colour names are trademarks of BlueScope Steel Limited.

The Fielders® range of products is exclusively made by or for BlueScope Steel Limited trading as Fielders.

© BlueScope Steel Limited March 2020 ABN 16 000 011 058. All rights reserved. NC1129-Mar20.